


PC-Based Screening Audiometer AVANT AIR+

Welcome to the
New Generation

Small Footprint
12cm x 12cm x 3cm
(L x W x H)



The AVANT AIR+ has air threshold capabilities allowing additional versatility. The small footprint makes it an ideal air audiometer for traveling. Use this product for community screenings where air thresholds are needed.

- Air Threshold Testing
- Automatic Air Audiometry Testing
- 125 Hz - 8 kHz
- HID device - True Plug and Play audiometer
- Small Footprint - 12cm x 12cm x 3cm (L x W x H)
- PC Based via USB Connection
- NOAH™ Compatible

AVANT™ AIR+

MedRx International
Sickingenstr. 70-71
10553 Berlin, Germany
Tel.: +49 30 / 70 71 46-50
Fax: +49 30 / 70 71 46-99
e-mail: medrx-sales@maico.biz
Web: www.medrx-int.com

Welcome to the New Generation

Specs

AVANT AIR⁺

About MedRx

MedRx, Inc. is a U.S. based global manufacturer and innovator of advanced computerized diagnostic and hearing instrument fitting technologies, specifically designed for the hearing care professional.

MedRx has created a remarkable New Generation of discreet, yet powerful PC-based instrumentation for Audiometry, Real Ear Measurement, Live Speech Mapping, Tinnitus Assessment, Hearing Instrument Testing & Evaluation and Video Otoscopy.

Standard Accessories

- DD65 Headphones
- Operator Mic / Monitor Headset
- Patient Response Switch
- Talkback Microphone
- USB Cable, Software & Manuals
- Carrying Case

Minimum Computer Requirements

- Windows®-PC compatible computer
- Intel™ i5 Dual Core, 2.0 GHz or better
- 4 GB RAM, 20 GB free hard drive space
- Available 2.0 USB ports
- Windows 7, 8 or 10 Professional (32 or 64-bit)

Technical Specifications

Standards:	Screening Audiometer as per ANSI S3.6-2010, IEC 60645-1:2012, Type 4; Tone Audiometry
Outputs:	DD65 Headphones
Frequency Range:	Air: 125 Hz – 8 kHz
Tinnometer Frequency Range:	Air: 125 Hz – 16 kHz (Optional)
Max Output:	Air Conduction: 100 dB HL For MidRange Frequencies,
Attenuation:	1 dB Step Or 5 dB Step, User Selectable
Optional Accessories:	DD45 Headphones & Insert Earphones
Compatible with:	NOAH™, TIMS® and CycleNet™
Power Requirements:	USB-powered
Dimensions:	Approx. 12 cm x 12 cm x 3 cm (W x D x H)
Net Weight:	< 500 g
Standard Accessories:	DD65 Headphones, Patient Response Switch, Talkback Microphone, Operator Mic, Monitor Headset, Software & Manuals, Carrying Case

