OTICON | Ruby

Technical data sheet


miniRITF











^{*} Bandwidth accessible for gain adjustments during fitting

Storage and transportation conditions

Temperature and humidity should not exceed the below limits for extended periods during transportation and storage. Temperature: -25°C to +60°C Relative humidity: 5% to 93%, non-condensing

Apple, the Apple logo, iPhone, iPad, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



miniRITE offers a discreet design with a 312 battery and a single push button.

SuperShield rapidly and intelligently prevents feedback before it occurs.

TwinLink™ wireless technology combines binaural communication and 2.4 GHz connectivity with stereo streaming directly from digital devices.

The powerful Velox S™ platform has programmable firmware architecture, supporting future performance updates.



Operating conditions

Temperature: +1°C to +40°C

Relative humidity: 5% to 93%, non-condensing











Oticon Ruby miniRITE 60



¹⁾ Measured with the gain control of the hearing aid set to its full-on position minus 20 dB and with an input SPL of 70 dB. This is to obtain a gain response equal to the full-on gain response from e.g. IEC 60118-0+A1:1994 but without influence of feedback. Battery current is measured according to IEC 60118-0:1983/AMD1:1994 §7.11, IEC 60118-0:2015 §7.7 and ANSI S3.22:2014 §6.13 after a settling time of a minimum of 3 minutes.

Oticon Ruby miniRITE 85



¹⁾ Measured with the gain control of the hearing aid set to its full-on position minus 20 dB and with an input SPL of 70 dB. This is to obtain a gain response equal to the full-on gain response from e.g. IEC 60118-0+A1:1994 but without influence of feedback.

Battery current is measured according to IEC 60118-0:1983/AMD1:1994 §7.11, IEC 60118-0:2015 §7.7 and ANSI S3.22:2014 §6.13 after a settling time of a minimum of 3 minutes.

³⁾ Based on the standardized battery consumption measurement (IEC 50118-0:1993/AMD1:1994). The actual battery life depends on battery quality, use pattern, active feature set, hearing loss

and usualle environment.


Real usage battery life is shown as an estimated interval based on mixed use cases with variable amplification settings and variable input levels, incl. direct stereo streaming from a TV (25% of the time) and streaming from a mobile phone (6% of the time).

³⁾ Based on the standardized battery consumption measurement (IEC 50118-0:1993/AMD1:1994). The actual battery life depends on battery quality, use pattern, active feature set, hearing loss


and usual extension lies.

Real usage battery life is shown as an estimated interval based on mixed use cases with variable amplification settings and variable input levels, incl. direct stereo streaming from a TV (25% of the time) and streaming from a mobile phone (6% of the time).

Oticon Ruby miniRITE 100



Oticon Ruby miniRITE 105



¹⁾ Measured with the gain control of the hearing aid set to its full-on position minus 20 dB and with an input SPL of 70 dB. This is to obtain a gain response equal to the full-on gain response from e.g. IEC 60118-0+A1:1994 but without influence of feedback.

Battery current is measured according to IEC 60118-0:1983/AMD1:1994 §7.11, IEC 60118-0:2015 §7.7 and ANSI S3.22:2014 §6.13 after a settling time of a minimum of 3 minutes.

¹⁾ Measured with the gain control of the hearing aid set to its full-on position minus 20 dB and with an input SPL of 70 dB. This is to obtain a gain response equal to the full-on gain response from e.g. IEC 60118-0+A1:1994 but without influence of feedback.

Battery current is measured according to IEC 60118-0:1983/AMD1:1994 §7.11, IEC 60118-0:2015 §7.7 and ANSI S3.22:2014 §6.13 after a settling time of a minimum of 3 minutes. 3) Based on the standardized battery consumption measurement (IEC 50118-0:1993/AMD1:1994). The actual battery life depends on battery quality, use pattern, active feature set, hearing loss

and usualle environment.

Real usage battery life is shown as an estimated interval based on mixed use cases with variable amplification settings and variable input levels, incl. direct stereo streaming from a TV (25% of the time) and streaming from a mobile phone (6% of the time).

³⁾ Based on the standardized battery consumption measurement (IEC 50118-0:1993/AMD1:1994). The actual battery life depends on battery quality, use pattern, active feature set, hearing loss

⁴⁾ Real usage battery life is shown as an estimated interval based on mixed use cases with variable amplification settings and variable input levels, incl. direct stereo streaming from a TV (25% of the time) and streaming from a mobile phone (6% of the time).

	Notes		Notes
		-	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
-		_	
		_	
		_	
-		-	
-		_	
		_	
-		_	
-		_	
		_	

