

Your Information	Step 1: Account Information					Step 2: Patient Information													
	Ship to Account:					First Name:													
	Account Name:					Last Name:													
	Address:					Age:													
						Last 4 digits of Social Security #:													
	City:		State:		Zip:		Audiometric Information (required)												
	Phone #:					Hz:	250	500	1k	2k	3k	4k	6k	8k					
	Contact Name:					Right:													
	E-mail (required):					Left:													
	Bill to Account:					Step 3: Fitter's Information													
Date:					Fitting Date:					Fitter's Name:									
Purchase Order #:					Fitter's E-mail:														

Step 4: Select instrument quantity and color																	
Model	Battery	Colors															
		Diamond Black	Steel Grey	Silver Grey	Silver	Chroma Beige	Terracotta	Chestnut Brown	Hear Pink / Baby Pink	Olive Green	Purple	Cool Blue	Power Pink	Cool Red	Emerald Green	Aquamarine	
		63	92	91	44	90	94	93	79	114	45	47	57	45	48	58	
Oticon Real 1 miniRITE R	Lithium-ion										--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	
Oticon Real 1 miniRITE T	312 zinc-air									--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	
Oticon Opn S 1 miniRITE R	Lithium-ion									--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	
Oticon CROS PX	Lithium-ion									--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	
Oticon CROS	312 zinc-air									--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	
Oticon Play PX miniRITE R	Lithium-ion		--N/A--	--N/A--						--N/A--							

Step 5: Select speaker								
Model	Ear	Power Level	Size					
			1	2	3	4	5	
Oticon Real 1 miniRITE R	L	60 100	85					
	R	60 100	85					
Oticon Real 1 miniRITE T	L	60 100	85					
	R	60 100	85					
Oticon Opn S 1 miniRITE R	L	60 100	85					
	R	60 100	85					
Oticon CROS PX	L	60	85					
	R	60	85					
Oticon CROS	L	60	85					
	R	60	85					
Oticon Play PX miniRITE R	L	60 100	85					
	R	60 100	85					

105 receiver is only available for use with a custom mold. Dome fitting is not an option. (See reverse side.)

Domes										Grip Tips		L	R	Accessories		
	OpenBass Dome*		Double Vent Bass (1.4)		Power		Open**		Single Vent Bass (0.8)**		Small, no vent			ConnectClip		
	L	R	L	R	L	R	L	R	L	R	Small, 0.9mm vent			Remote Control 3.0		
5 mm	<input type="checkbox"/>	<input type="checkbox"/>	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	--N/A--	Large, no vent	<input type="checkbox"/>	<input type="checkbox"/>	TV Adapter 3.0		
6 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	Phone Adapter 2.0 (Requires ConnectClip)		
8 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Large, 0.9mm vent	<input type="checkbox"/>	<input type="checkbox"/>	EduMic	
10 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		
12 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						

* OpenBass Dome not compatible with Opn S except for 5mm.
** Opn S Only

Oticon Chargers	
Oticon SmartCharger*	<input type="checkbox"/>
Oticon Desktop Charger	<input type="checkbox"/>

*Not compatible with Opn S 1 miniRITE R





Order contains contaminated impression. Handlers use gloves.

Impression(s) will be destroyed unless otherwise requested.

Special Instructions: _____

Please make custom earmold selection on reverse side.

Custom Mold Styles

Standard Mold		Hollow Mold		Embedded Mold	
					
Canal Mold	MicroMold	LiteTip	MicroShell	Power Receiver Mold	

Available with various retention options from canal lock to skeleton.

Custom RITE Earmolds	Standard (Speakers 60, 85)		L	R	Hard material acrylic (clear only)	Soft material silicone (no tint)	OtoTherm™*	Venting	Removal String	
	Micro (IIC)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Please choose Venting selection options below.	STD	
	Canal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Canal with Canal Lock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Canal with Helix Lock	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	<input type="checkbox"/>	<input type="checkbox"/>			
	Half Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Semi Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	<input type="checkbox"/>	<input type="checkbox"/>			
	Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Hollow Mold (LiteTip style)		L	R	Hard material acrylic (clear only)	Soft material silicone (no tint)	OtoTherm™*	Venting	Removal String	
	Hollow	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	<input type="checkbox"/>	<input type="checkbox"/>	Please choose Venting selection options below.		
Hollow with Canal Lock	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	<input type="checkbox"/>	<input type="checkbox"/>				
Hollow with Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	<input type="checkbox"/>	<input type="checkbox"/>				
Embedded										
MicroShell for 60 & 85 Speakers (embedded speaker)		L	R	Hard material acrylic (clear only)	Soft material silicone (no tint)	OtoTherm™*	Venting	Options		
Micro	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>	Please choose Venting selection options below.	MicroShell (acrylic only)	<input type="checkbox"/> L	<input type="checkbox"/> 60 <input type="checkbox"/> 85
Canal	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>			<input type="checkbox"/> R	<input type="checkbox"/> 60 <input type="checkbox"/> 85
Canal with Canal Lock	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>		Receiver Length	<input type="checkbox"/> L	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
Canal with Helix Lock	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>			<input type="checkbox"/> R	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>		Shell and Faceplate color	<input type="checkbox"/> Clear	<input type="checkbox"/> Beige
Semi Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>			<input type="checkbox"/> Black	<input type="checkbox"/> Dark Brown
Half Skeleton	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>		<input type="checkbox"/> Med. Brown	<input type="checkbox"/> Lt. Brown	
							<input type="checkbox"/> Blue	<input type="checkbox"/> Red		
Power Receiver Mold (100 and 105 speakers)		L	R	Hard material acrylic (clear only)	Soft material silicone (no tint)	OtoTherm™*	Venting	Options		
Power Receiver Mold	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>	Please choose Venting selection options below.	Power Receiver Mold (acrylic only)	<input type="checkbox"/> L	<input type="checkbox"/> 100 <input type="checkbox"/> 105
						<input type="checkbox"/> R			<input type="checkbox"/> 100 <input type="checkbox"/> 105	
								Power Receiver Wire Length	<input type="checkbox"/> L	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
									<input type="checkbox"/> R	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
Power Receiver Mold with Canal Lock	<input type="checkbox"/>	<input type="checkbox"/>	STD	--N/A--	--N/A--	<input type="checkbox"/>	Shell and Cover Plate Color	<input type="checkbox"/> Clear	<input type="checkbox"/> Beige	
								<input type="checkbox"/> Lt. Brown	<input type="checkbox"/> Med. Brown	
							<input type="checkbox"/> Dark Brown	<input type="checkbox"/> Black		
							Removal String	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

*OtoTherm™ is flexible material that is rigid (Shore A 90) at room temperature and flexible (Shore A 70) at body temperature. These characteristics allow for ease of insertion, increased comfort, and optimal sealing. Please note: This material requires gentle warming/softening of the mold with a hair dryer prior to insertion or removal of the receiver.

Venting Selection															
All RITE molds except Hollow (LiteTip) Mold								Hollow (LiteTip) Mold RITE							
Venting based on audio-canal size <input type="checkbox"/>								Venting based on audio-canal size <input type="checkbox"/>							
Vent Size	Small (0.8mm)	Medium (1.4mm)	Large (2.4mm)	Max**	Pressure	SAV	No vent	Vent Size	Small (0.7mm long)	Medium (0.7mm short)	Large (1.2mm)	Max**	Pressure	SAV	No vent
L	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	L	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
R	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	R	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**As large as possible.

Wax Protection System

Custom molds (except OtoTherm™, MicroShell, and Soft Silicone MicroMold) use the ProWax system. All miniFit receivers use the ProWax miniFit wax system.



ProWax



ProWax miniFit

Visit oticon.com/professionals/government for more product information.

20-4-3150 15500-2094/04.24